



Cup & Lid Dispensers

IN-COUNTER CUP

San Jamar's In-Counter cup dispensers:

- Maximize counter space
- Dispense paper, plastic and foam cups
- Provide one-at-a-time dispensing of a wide variety of cup sizes
- Allows for cup size changes without changing dispensers

SENTRY® CUP DISPENSERS

- No wear parts
- Easy, fast exact adjustments
- Adjustable Lifetime Levers™ prevent marring of cups and provide one-at-a-time dispensing

EZ FIT™ CUP DISPENSERS

- Set it and forget it gaskets provide smooth, tamper-proof dispensing
- Each dispenser includes a gasket pack to accommodate a range of cup sizes

STAINLESS STEEL CUP DISPENSER

- Ideal when a high-end appearance is desired
- Adjustable, for applications that don't require frequent changing of cup sizes

Sentry® In-Counter Adjustable Cup Dispenser

- No wear parts to replace
- Adjustable Lifetime Levers™ prevent marring of cups and provide one-at-a-time dispensing
- Dispenses paper, plastic, and foam cups one-at-a-time

Item	Cup Rim Diameter	Approx. Cup Size	Counter Hole Diam.	Tube Length
IN-COUNTER MODEL				
C5450C	3 1/8" - 4 1/2" (79-114 mm)	8-44 oz. (236-1301 ml)	5 1/4" (134 mm)	23 1/2" (597 mm)
C5450C18	3 1/8" - 4 1/2" (79-114 mm)	8-44 oz. (236-1301 ml)	5 1/4" (134 mm)	18" (457 mm)

Construction: high-impact plastic
Note: for multiple in-counter units leave a 7 1/4" (184mm) space between each unit.



C5450C

Euro Sentry® In-Counter Cup Dispenser

- Smaller footprint than standard Sentry® dispenser
- No wear parts to replace
- Adjustable Lifetime Levers™ prevent marring of cups and provide one-at-a-time dispensing
- Dispenses paper, plastic, and foam cups one-at-a-time

Item	Cup Rim Diameter	Approx. Cup Size	Counter Hole Diam.	Tube Length
IN-COUNTER MODEL				
C5250C	2 7/16" - 3 5/8" (62-92 mm)	4-24 oz. (118-710 ml)	4 5/8" (124 mm)	23 1/2" (597 mm)
C5250C18	2 7/16" - 3 5/8" (62-92 mm)	4-24 oz. (118-710 ml)	4 5/8" (124 mm)	18" (457 mm)

Construction: high-impact plastic
Note: for multiple in-counter units leave a 6 1/4" (159mm) space between each unit.



C5250C

IN-COUNTER CUP

CUP & LID SYSTEMS

SURFACE MOUNT CUP

LID & STRAW





SIGNATURE PRODUCT

One-Size-Fits-All EZ-Fit®

- Includes a gasket pack to handle wide range of cup sizes
- Easily change cup sizes without having to change dispenser
- Dispenses paper, plastic, and foam cups one-at-a-time

Item	Cup Rim Diameter	Approx. Cup Size	Counter Hole Diam.	Tube Length
C2410C	2 7/8" - 4 3/4" (73-121 mm)	8-46 oz. (236-1360 ml)	5 3/4" (146 mm)	23 1/4" (590 mm)
C2410C18	2 7/8" - 4 3/4" (73-121 mm)	8-46 oz. (236-1360 ml)	5 3/4" (146 mm)	18" (457 mm)
C2410CBK (Black Gasket)	2 7/8" - 4 3/4" (73-121 mm)	8-46 oz. (236-1360 ml)	5 3/4" (146 mm)	23 1/4" (590mm)

Construction: Impact resistant plastic



EZ-Fit Cup Dispenser Gaskets


Note: To order replacement gaskets for your EZ-Fit® dispenser, please contact Customer Care.



XC2426

Item	Description
XC2426	C2410C EZ-Fit Dispenser Gaskets (Pack of 4 - S, M, L, XL)
XC2426BK	C2410C EZ-Fit Dispenser Black Gaskets (Pack of 4 - S, M, L, XL)
XC2226	C2210C Euro EZ-Fit Dispenser Gaskets (Pack of 4 - S, M, L, XL)
XC2226BK	C2210C Euro EZ-Fit Dispenser Black Gaskets (Pack of 4 - S, M, L, XL)
XC2526	C2510C Deli Cup Dispenser New Style Gaskets (Pack of 3 - S, M, L)
XC2022	C2010C Portion Cup Dispenser Gaskets (Pack of 4 - S, M, L, XL)

HOW TO CHOOSE MY STAINLESS STEEL COUNTER MOUNT CUP DISPENSER



SIGNATURE PRODUCT

Stainless Steel Counter-Mount Beverage Cup

- Dispenses paper, plastic, and foam cups one-at-a-time
- Durable

Item	Cup Rim Diameter	Approx. Cup Size	Counter Hole Diam.	Tube Length
C3200CF C3200CH C3200CV	2 7/8"-3 3/8" (56-81 mm)	6-10 oz. (177-300 ml)	4 3/16" (106mm)	23 1/2" (597 mm)
C3400CF C3400CH C3400CV	2 3/4"-3 7/8" (70-98 mm)	12-24 oz. (350-710 ml)	4 11/16" (119mm)	23 1/2" (597 mm)
C3500CF C3500CH C3500CV	4"-4 7/8" (101-124 mm)	32-46 oz. (950-1360 ml)	5 3/4" (146mm)	23 1/2" (597 mm)

Construction: 26-gauge stainless steel; 18" tube length available upon request



C3500CV C3400CV C3200CV

EZ-Fit® Metal Finish Rings

ITEM: C22XC (for C2210C)
C24XC (for C2410C)

Sentry® Metal Finish Rings

ITEM: C52XC (for C5250C)
C54XC (for C5450C)



SIGNATURE PRODUCT

Euro EZ-Fit® • Smaller footprint than standard EZ-Fit® dispenser

Item	Cup Rim Diameter	Approx. Cup Size	Counter Hole Diam.	Tube Length
C2210C	2 7/8" - 3 7/8" (73-98 mm)	6-24 oz. (178-710 ml)	4 7/8" (124 mm)	23 1/4" (590 mm)
C2210C18	2 7/8" - 3 7/8" (73-98 mm)	6-24 oz. (178-710 ml)	4 7/8" (124 mm)	18" (457 mm)

Construction: Impact resistant plastic



SIGNATURE PRODUCT

Large Deli Cup EZ-Fit® • Largest capacity EZ-Fit® dispenser

Item	Cup Rim Diameter	Approx. Cup Size	Counter Hole Diam.	Tube Length
C2510C	4 7/8" - 5 5/8" (124-143 mm)	32-64 oz. (950-1890 ml)	6 7/8" (168 mm)	22 1/2" (572 mm)

Construction: Impact resistant plastic



SIGNATURE PRODUCT

Portion Cup EZ-Fit® • Smallest capacity EZ-Fit® dispenser

Item	Cup Rim Diameter	Approx. Cup Size	Counter Hole Diam.	Tube Length
C2010C	1 1/2" - 2 3/16" (38-59mm)	1/2 - 2 1/2 oz. (15-70ml)	3 1/4" (83mm)	16" (406mm)

Construction: Impact resistant plastic



CUP & LID SYSTEMS

SENTRY® DISPENSER CABINETS OFFER:

- Simple adjustment of Lifetime Levers™ provide quick, easy one-at-a-time dispensing
- Easy changes of cup sizes and types
- No misplaced or replaceable parts

EZ-FIT® DISPENSER CABINETS OFFER:

- Interchangeable gaskets that allow for cup sizes and types to be changed easily
- One-at-a-time dispensing
- Replaceable gaskets

Sentry® Beverage Dispenser Cabinets

- No wear parts to replace
- Adjustable Lifetime Levers™ prevent marring of cups
- Dispenses paper, plastic, and foam cups one-at-a-time



C2951BK

C2952BK

C2953BK

Item	Dispenser Includes	Dimensions H x W x D
C2951BK	(1) C5450C black trim ring	7 ³ / ₄ " x 7 ³ / ₄ " x 23 ³ / ₄ " (197 x 197 x 604 mm)
C2952BK	(2) C5450C black trim rings	15 ¹ / ₈ " x 7 ³ / ₄ " x 23 ³ / ₄ " (384 x 197 x 604 mm)
C2953BK	(3) C5450C black trim rings	24 ³ / ₄ " x 7 ³ / ₄ " x 23 ³ / ₄ " (568 x 197 x 604 mm)

Construction: Black polystyrene



Sentry® Beverage & Lid Dispenser Cabinets

- EZ Fit® lid dispensers provide simple, sanitary dispensing of cold beverage lids

Item	Dispenser Includes	H x W x D Dimensions
BEVERAGE, LID & STRAW CABINET		
L22CS2951BK	(1) C5450C, (1) L2200C, (1) straw compartment, black trim rings	22 ³ / ₈ " x 7 ³ / ₄ " x 25 ³ / ₈ " (568 x 197 x 645 mm)
BEVERAGE & LID CABINETS		
L22C2951BK	(1) C5450C, (1) L2200C, black trim rings	15 ¹ / ₈ " x 7 ³ / ₄ " x 25 ³ / ₈ " (384 x 197 x 645 mm)
L24C2951BK	(1) C5450C, (1) L2400C, black trim rings	15 ¹ / ₈ " x 7 ³ / ₄ " x 25 ³ / ₈ " (384 x 197 x 645 mm)

Construction: Black polystyrene



L24C2951BK

L22C2951BK

Sentry® Stainless Steel Beverage Dispenser Cabinets

Item	Dispenser Includes	H x W x D Dimensions
C2852	(2) C5450C	16" x 8 ¹ / ₈ " x 24 ³ / ₈ " (406 x 206 x 619 mm)
C2853	(3) C5450C	24 ³ / ₈ " x 8 ¹ / ₈ " x 24 ³ / ₈ " (616 x 206 x 619 mm)
C2854	(4) C5450C	30 ¹ / ₄ " x 8 ¹ / ₈ " x 24 ³ / ₈ " (768 x 206 x 619 mm)


Construction: 22-gauge stainless steel



C2852

C2853

C2854



SIGNATURE PRODUCT

EZ-Fit® Beverage Dispenser Cabinets

Item	Dispenser Includes	H x W x D Dimensions
C2901	(1) C2410C with metal finish trim ring	7 ³ / ₄ " x 7 ³ / ₄ " x 23 ³ / ₄ " (197 x 197 x 603 mm)
C2901BK	(1) C2410C with black trim ring	7 ³ / ₄ " x 7 ³ / ₄ " x 23 ³ / ₄ " (197 x 197 x 603 mm)
C2902	(2) C2410C with metal finish trim rings	15" x 7 ³ / ₄ " x 23 ³ / ₄ " (381 x 197 x 603 mm)
C2902BK	(2) C2410C with black trim rings	15" x 7 ³ / ₄ " x 23 ³ / ₄ " (381 x 197 x 603 mm)
C2903	(3) C2410C with metal finish trim rings	22 ³ / ₈ " x 7 ³ / ₄ " x 23 ³ / ₄ " (568 x 197 x 603 mm)
C2903BK	(3) C2410C with black trim rings	22 ³ / ₈ " x 7 ³ / ₄ " x 23 ³ / ₄ " (568 x 197 x 603 mm)

Construction: Black polystyrene



Wireworks™ Cup Dispenser & Lid Organizer

- Lowest cost option for dispensing paper, plastic, or foam cups one-at-a-time
- Coils adjust to fit cups ranging from 8-44 ounces
- Available with side panels to prevent contamination



Item	Capacity	Dimensions H x W x D
BASIC UNIT		
C8503WF	2 cup dispensers, 1 lid organizer	19 ³ / ₈ " x 6 ³ / ₈ " x 18 ¹ / ₄ " (491 x 162 x 464 mm)
C8504WF	3 cup dispensers, 1 lid organizer	24 ³ / ₈ " x 6 ³ / ₈ " x 18 ¹ / ₄ " (620 x 162 x 464 mm)
INCLUDES SIDE PANELS		
C8503WFD	2 cup dispensers, 1 lid organizer, 2 side panels	19 ³ / ₈ " x 6 ³ / ₈ " x 18 ¹ / ₄ " (491 x 162 x 464 mm)
C8504WFD	3 cup dispensers, 1 lid organizer, 2 side panels	24 ³ / ₈ " x 6 ³ / ₈ " x 18 ¹ / ₄ " (620 x 162 x 464 mm)

(wire frame only - straw caddy & dome lid spindles sold separately)



C8503WF

C8504WFD



SIGNATURE PRODUCT

EZ-Fit® Stainless Steel Beverage Dispenser Cabinets

Item	Dispenser Includes	H x W x D Dimensions
C2802	(2) C2410C	16" x 8 ¹ / ₁₆ " x 24 ³ / ₈ " (406 x 205 x 619 mm)
C2803	(3) C2410C	24 ³ / ₁₆ " x 8 ¹ / ₁₆ " x 24 ³ / ₄ " (619 x 205 x 619 mm)
C2804	(4) C2410C	30 ¹ / ₄ " x 8 ¹ / ₁₆ " x 24 ³ / ₈ " (768 x 205 x 619 mm)

Construction: 22-gauge stainless steel



Cup & Lid Wire Organizers

- Economically organizes all types of beverage cups/lids
- Anti-slip feet keeps unit in place
- Includes straw caddy

Item	Capacity	Dimensions H x W x D
C8003WFS	3 stacks	8 ¹ / ₂ " x 17 ¹ / ₈ " x 5 ¹ / ₄ " (216 x 435 x 133 mm)
C8005WFS	5 stacks	8 ¹ / ₂ " x 27 ³ / ₈ " x 5 ¹ / ₄ " (216 x 695 x 133 mm)

Construction: 4 and 5mm black epoxy-coated steel wire



C8003WFS



Portion Cup Box System

Item	Dispenser Includes	H x W x D Dimensions
C9002	(2) C2010C Portion Cup	10 ¹ / ₁₆ " x 5 ¹ / ₁₆ " x 13" (256 x 129 x 330 mm)

Construction: 22-gauge stainless steel

Cup & Lid Dispenser Kit & Stand

- Countertop alternative to organize a variety of wall mount cup and lid dispensers
- Holds up to four San Jamar cup/lid dispensers in any configuration

Item	Dispenser Includes	Dimensions H x W x D
C3620	Kit: C3604, L3402, C3200P, C3400P	36" x 12" x 12" (914 x 305 x 305 mm)
C3604	Stand only	Base: 10" diameter (254 mm)


Each stand will hold up to four San Jamar cup or lid dispensers in any configuration

Construction: (C3604) Chrome-plated steel; (C3200P, C3400P) 26-gauge stainless steel; (L3402) 22-gauge stainless steel



C3604

C3620



Sentry® Surface Mount Adjustable Cup Dispenser

- No wear parts to replace
- Adjustable Lifetime Levers™ prevent marring of cups
- Dispenses paper, plastic, and foam cups one-at-a-time

Item	Cup Rim Diameter	Approx. Cup Size	Counter Hole Diam.	Tube Length
SURFACE MOUNT MODEL				
C5250SM	2 1/8" - 3 1/8" (62-92 mm)	4-24 oz. (118-710 ml)	N/A	18" (457 mm)
C5450SM	3 1/8" - 4 1/2" (79-114 mm)	8-44 oz. (236-1301 ml)	N/A	23 1/2" (597 mm)

Construction: (Tube) high-impact plastic; (Wire Form) 6-gauge plated wire



Signature Product Surface-Mount EZ-Fit®

- Includes a gasket pack to handle wide range of cup sizes
- Easily change cup sizes without having to change dispenser
- Dispenses paper, plastic, and foam cups one-at-a-time

Item	Cup Rim Diameter	Approx. Cup Size	Tube Length
C2210SM	2 7/8" - 3 7/8" (73-98 mm)	6-24 oz. (177-710 ml)	18" (457 mm)
C2410SM	2 7/8" - 4 3/4" (73-121 mm)	8-46 oz. (236-1360 ml)	23 1/4" (590 mm)

Construction: (Tube) Impact resistant plastic; (Wire form) 6-gauge plated wire



SURFACE MOUNT CUP



- Ideal for under the counter, wall mount, or end cap applications

- Can be mounted horizontally, vertically or at a 45° angle

- Adjustable collar easily conforms to each cup size, ensuring one-at-a-time dispensing without damaging cups

1. Choose cup type.
2. Choose mounting position.
3. Determine your cup rim size.
4. Select correct product number.

HOW TO CHOOSE MY STAINLESS STEEL SURFACE MOUNT CUP DISPENSER



Signature Product

Stainless Steel Surface-Mount (Elevator) Beverage Cup

- Dispenses paper, plastic, and foam cups one-at-a-time
- Durable

Item	Cup Rim Diameter	Approx. Cup Size	Tube Length
C3200EF C3200EH C3200EV	2 7/32" - 3 1/16" (56-81 mm)	6-10 oz. (177-300 ml)	23 1/2" (597 mm)
C3400EF C3400EH C3400EV	2 3/4" - 3 7/8" (70-98 mm)	12-24 oz. (350-710 ml)	23 1/2" (597 mm)
C3500EF C3500EH C3500EV	4" - 4 7/8" (101-124 mm)	32-46 oz. (950-1360 ml)	23 1/2" (597 mm)

Construction: 26-gauge stainless steel



Signature Product

Stainless Steel Pull-Type Beverage Cup

- Dispenses paper, plastic, and foam cups one-at-a-time
- Durable

Item	Cup Rim Diameter	Approx. Cup Size	Tube Length
C3200P	2 7/32" - 3 1/16" (56-81 mm)	6-10 oz. (177-300 ml)	23 1/2" (597 mm)
C3400P	2 3/4" - 3 7/8" (70-98 mm)	12-24 oz. (350-710 ml)	23 1/2" (597 mm)
C3500P	4" - 4 7/8" (101-124 mm)	32-46 oz. (950-1360 ml)	23 1/2" (597 mm)

Construction: 26-gauge stainless steel





C4150SS C4160WH C4160TBL

Small Pull-Type Water Cup

Item	Colors	Cup Rim Diameter	Approx. Cup Size	Tube Length
Construction: 26-gauge stainless steel				
C4150SS	SS	2 1/4"-2 7/8" (57-73 mm)	Cone 3-4 1/2 oz. (90-130 ml) Flat 3-5 oz. (90-150 ml)	16" (406 mm)
Construction: High-impact plastic				
C4160*	WH, TBL	2 1/4"-2 7/8" (57-73 mm)	Cone 3-4 1/2 oz. (90-130 ml) Flat 3-5 oz. (90-150 ml)	16" (406 mm)

* Specify desired color after item number Example: C4160WH
Includes flip cap to allow refilling without removing cap



C4180CL C4180TBL C4180TBR

Small Pull-Type Water Cup with Throat

Item	Colors	Cup Rim Diameter	Approx. Cup Size	Tube Length
C4180*	TBR, TBL, TBLW, CL	2 1/4"-2 7/8" (57-73 mm)	Cone 3-4 1/2 oz. (90-130 ml) Flat 3-5 oz. (90-150 ml)	16" (406 mm)

* Specify desired color after item number Example: C4180TBR
Note: TBLW = Arctic Blue with White Flip Cap
Includes flip cap to allow refilling without removing cap
Construction: Impact resistant plastic



C3165WH C3165FBL C3165TBL

Medium Pull-Type Water Cup

Item	Colors	Cup Rim Diameter	Approx. Cup Size	Tube Length
C3165*	WH, TBL, FBL	2 1/2"-3 1/4" (64-83 mm)	Cone 4-10 oz. (120-300 ml) Flat 4-10 oz. (120-300 ml)	16" (406 mm)

* Specify desired color after item number Example: C3165WH
Includes flip cap to allow refilling without removing cap
Construction: Impact resistant plastic



C3450SS C3260TBR C3260TBL

Large Pull-Type Water Cup

Item	Colors	Cup Rim Diameter	Approx. Cup Size	Tube Length
Construction: 26-gauge stainless steel				
C3250SS	SS	2 3/4"-3 3/8" (70-86 mm)	Cone 4 1/2-7 oz. (130-210 ml) Flat 6-12 oz. (180-350 ml)	16" (406 mm)
C3450SS	SS	3 1/4"-3 7/8" (82-98 mm)	Cone 8-12 oz. (240-350 ml) Flat 12-24 oz. (350-710 ml)	16" (406 mm)
Construction: Impact resistant plastic				
C3260*	TBR, TBL	2 3/4"-3 3/8" (70-86 mm)	Cone 4 1/2-7 oz. (130-210 ml) Flat 6-12 oz. (180-350 ml)	16" (406 mm)

* Specify desired color code after item number Example: C3260TBR



Pull-Type Foam Beverage Cup

Item	Cup Rim Diameter	Approx. Cup Size	Tube Length
Construction: High-impact polyethylene, white			
C4210PFSD	2 3/4"-3 3/8" (70-85 mm)	4-10 oz. (120-300 ml)	23 1/2" (597 mm)
C4410PFSD	3 1/4"-3 7/8" (82-98 mm)	12-24 oz. (350-710 ml)	23 1/2" (597 mm)
Construction: 26-gauge stainless steel			
C4200PF	2 3/4"-3 3/8" (70-85 mm)	4-10 oz. (120-300 ml)	23 1/2" (597 mm)
C4400PF	3 1/4"-3 7/8" (82-98 mm)	12-24 oz. (350-710 ml)	23 1/2" (597 mm)
C4500PF	3 7/8"-4 7/8" (98-124 mm)	32-46 oz. (950-1360 ml)	23 1/2" (597 mm)



C4210PFSD C4500PF

Pull-Type Paper/Plastic Beverage Cup

Item	Cup Rim Diameter	Approx. Cup Size	Tube Length
C4210PRD	2 1/2"-3 1/4" (64-83 mm)	4-10 oz. (120-300 ml)	23 1/2" (597 mm)
C4410PRD	3 3/8"-3 7/8" (85-98 mm)	12-24 oz. (350-710 ml)	23 1/2" (597 mm)

Construction: Impact resistant polyethylene



C4210PRD

Adjustable Portion Cup Dispensers

Item	Cup Rim Diameter	Approx. Cup Size	Tube Length
ELEVATOR STYLE 26-gauge steel, white			
C3000EWH	1 3/4"-2 1/2" (44-64 mm)	1 3/4-4 1/2 oz (50-130 ml)	16" (406 mm)
PULL-TYPE STYLE 26-gauge stainless steel			
C3000PSS	1 3/4"-2 1/2" (44-64 mm)	1 3/4-4 1/2 oz (50-130 ml)	16" (406 mm)



C3000EWH C3000PSS

LID & STRAW

Save money by reducing waste with San Jamar's lid dispensers. The EZ Fit® lid dispenser dispenses cold beverage lids one-at-a-time.

EZ-Fit® In-Counter Lid Dispensers

- Provides simple, sanitary dispensing of cold beverage lids
- One-handed operation is easy to use
- Keeps lids protected and counters clean
- Simple, design has few parts and requires no adjustment

Item	Lid Rim Diameter	Approx. Cup Size	Counter Hole Diam.	Tube Length
L2200C	2¾"-3¾" (70-95 mm)	8-24 oz. (236-710 ml)	4⅞" (124 mm)	23¾" (603 mm)
L2400C	3¾"-4½" (95-114 mm)	24-46 oz. (710-1360 ml)	5¾" (146 mm)	23¾" (603 mm)



Construction: Impact resistant plastic

Note: EZ-Fit® Lid Dispensers are intended for use with flat, cold beverage lids only. May not be compatible with all lid types. To confirm lid compatibility, please provide a full sleeve of lids prior to ordering.



EZ-Fit® Lid Dispenser Cabinets



Item	Center Includes	Dimensions H x W x D
L2910BK	(1) L2200C; black trim ring	7¾" x 7¾" x 25⅞" (197 x 197 x 645 mm)
L2920BK	(1) L2400C; black trim ring	7¾" x 7¾" x 25¾" (197 x 197 x 654 mm)
L2912BK	(1) L2200C; (1) L2400C black trim rings	15⅞" x 7¾" x 25⅞" (384 x 197 x 645 mm)
L2913BK	(2) L2200C; (1) L2400C black trim rings	22⅜" x 7¾" x 25⅞" (568 x 197 x 645 mm)
L2923BK	(1) L2200C; (2) L2400C black trim rings	22⅜" x 7¾" x 25⅞" (568 x 197 x 645 mm)

Construction: Black polystyrene

Note: EZ-Fit® Lid Dispensers are intended for use with flat, cold beverage lids only. May not be compatible with all lid types. To confirm lid compatibility, please provide a full sleeve of lids prior to ordering.



Lid Towers

- High capacity lid and straw organization
- Countertop design allows you to move organizer and accommodate changing needs

Item	Dispenser Includes	H x W x D Dimensions
L2202	(2) lid compartments (1) straw compartment	18¾" x 5½" x 13" (476 x 140 x 330 mm)
L2203	(3) lid compartments (1) straw compartment	24½" x 5½" x 13" (622 x 140 x 330 mm)
L2204	(4) lid compartments (1) straw compartment	30" x 5½" x 13" (762 x 140 x 330 mm)

Construction: Black polystyrene



Wall-Mount Lid Dispensers

- Designed to keep your lids clean and organized
- Available in single and double lid designs
- Front-loading provides easy and smooth access to lids
- Brackets allow for either wall or dispenser stand mounting

Item	Capacity	Max Lid Diameter	Approx. Cup Size	Tube Length
L3200	(1) sleeve	3½" (89 mm)	6-10 oz. (180-300 ml)	23½" (597 mm)
L3400	(1) sleeve	4" (101 mm)	12-24 oz. (350-710 ml)	23½" (597 mm)
L3500	(1) sleeve	5" (127 mm)	32-46 oz. (950-1360 ml)	23½" (597 mm)
L3402 (double lid)	(1) sleeve	4" (101 mm)	6-24 oz. (180-710 ml)	23½" (597 mm)
L3502 (double lid)	(1) sleeve	5" (127 mm)	24-46 oz. (710-1360 ml)	23½" (597 mm)

Construction: 22-gauge stainless steel



L3400 L3402

Adjustable Lid Organizers

- Can be placed on a countertop or wall mounted
- Adjustable compartments adapt to the lid size being dispensed
- Comes with straw caddy (L1035) that can attach to either side

Item	Capacity	Dimensions H x W x D
L1014	3 stacks	6½" x 17⅞" x 5⅞" (165 x 435 x 130 mm)
L1022	5 stacks	6½" x 25¼" x 5⅞" (165 x 641 x 130 mm)

Construction: (Lid organizers) 22-gauge stainless steel; (Stirrer & straw caddy) high-impact plastic



L1022 L1014

Lid Organizers

- Keep lids organized and easily accessible to customers
- Countertop design allows you to move organizer to accommodate changing needs

Item	Dimensions H x W x D
L2100	11" x 12½" x 16½" (279 x 318 x 419 mm)
L2150 (Narrow)	10¾" x 8½" x 16½" (273 x 216 x 419 mm)

Construction: 22-gauge 304-stainless with impact resistant plastic tray



L2100 L2150

Condiment & Straw Organizer

Item	Dimensions H x W x D
L2900	9½" x 8¾" x 25¾" (241 x 208 x 637 mm)

Construction: Black polystyrene



L2900

Straw Dispenser

- In-counter dispenser organizes straws and stirrers utilizing simple mounting ring to lock secure holder


Item	Diameter	Tube Length
L320C	5⅞" (136mm)	6" (152mm)

Construction: 22-gauge stainless steel

Large Trash Chute

Item	Diameter	Tube Length
L360C	6⅞" (168mm)	5¼" (152mm)

Construction: 22-gauge stainless steel



L320C

L360C